# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/CA05/000209

International filing date: 18 February 2005 (18.02.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 10/783,137


Filing date: 19 February 2004 (19.02.2004)

Date of receipt at the International Bureau: 13 July 2005 (13.07.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





ON THE BOUND OF THE COMPANY OF THE C

TO MIL TO WHOM THOSE; PRESERIS SHAM, COME;

UNITED STATES DEPARTMENT OF COMMERCE

**United States Patent and Trademark Office** 

June 15, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 10/783,137 FILING DATE: February 19, 2004

By Authority of the

COMMISSIONER OF PATENTS AND TRADEMARKS

**Certifying Officer** 

•	`	U.S. PTO 10/783137	02/140/2004
			1

Please type a plan sign (v) holds this tou: ——				U.S. Putent and Trademark Office; U.S. DEPARTMENT OF COMMERCE and to a collection of information when it displays a wind OMB control number.					
S UTILITY					Afformery Dockett No.				
- PATEN	DATENT ARRIVATION				wenter				
S TRANSMITTAL				Title					$\neg$
(Grapher new neoprovisional applications under 37 GFR 1.53(b))				s Mail Label No			<del></del>	7	
APPLICATION FLEMENTS Anished Completions for Patents									
Dee MPEP chapter 600 co			donde.	AD	DRESS TO:	Elect Patent Wantilegio	Applica n, OC	atton 2023 1	
1. Fee Transcatted Form (e.g., PTO/SB/17)				7. [	CD-ROM or CD Computer Prog			ge table or	
2. Applicant chiene small entity status. See S7 CFR 1.27.					ichailde andlar Aall	no Acid Suc		Submission ·	
3. X Specification	فيدونها بالبطا المداك	/Poges]		- (·	applicable, all neces		(00		
- Descriptive til - Gross Ruturer	to of the invent	ion Applications		b.	Specification Seque			•	
	owana Fed er	ionsomid R & D				Mor CD-R	(2 cop	lee); or	
-Reference to e or a computer - Background o	/ Pro Ironandino	•		a	Statements vi	alliying iden	By of a	bave abples	
- Brief Summer - Brief Descript - Deteiled Descript	y of the Inverti ion of the Draw	on Angs (f/#lied)			ACCOMPANY				
(e)				2	Assignment Pa	•		& document(s))	
- Abstract of the	Disclosure	<del></del>	-	10.	(when there is	an acaime	, L	Attorney	
4. S Drawing(x) (38		Total Sheets	41	11. English-Translation Document (Fapplicable)				3	
6. Coth or Declaration		Total Pages		12	Statement (ED) Profesioner As	9)PTO-144	e L	- Challons	
Copy from	o hara schalen	or copy) lon (\$4" CFR 1.83 (d)) with Box 18 complete		12	Rotum Roceio	t Postoard	MPEP	503)	ı
—		VENTOR(S)	<del>Ly</del>	12	(Should be apic			entita	
<i>`{</i> ' ===4≥	200 pates angular.	deleting terentoring			— (El kirelgo pilki: Norqublication				ı
. —	) and 1.33(b).	_		~'	ON CONTROL AND	pilcant mus	l allect	form PTO/SEKS	5 j
R Application Date				17.	Other: Night	BERED	EL	· CILGERI	
48. If a CONTINUING APPL or in an Application Date Sh	ICATION, che	ik appropriate box, es SR 1.70:	d supply	the req	vialle information bei	low and in a	predic	hery emanchmen	द
Operation [	<b>Childrens</b>	Outbuilden began	(CP)		of prior application No.			·	
Per CONTINUATION ON DAME	Bundu 1004L AFFG as	dy: The unite discloses	 re of the p	clar app	Comp At Life Scatten, Seus which w		derette	o to supplied made	
Per CONTINUATION OR COME Best Sh, to countdown a part of The temperation can party be	The disclosur Trifled upon wh	of the accompanying one to parties has been been		en or d	deleased application as and from the automities	d to herety I application	perts.	rated by reference	<u>`</u>
		19. CORRECTE	CHOS	Œ AD	REES				-
Contracting the Contracting Co	info Legisl	Grant Customer Ms. or A	and durce		<u></u>	]	ه هددښت	dátes keltur	- 1
Numo	THOMAS AGADIADES.								
	744 BRIDGE STREET								
Address	YUBA CITY Some CA ZOCOM 95991								
City					CA		Code	95991	4
	Tablian Goo'at B 1940 Par						Į		
Name (Print/Type)						1			
Signature	Une 17.2					J			
in account of that you are much		ON THE PERSON NAMED IN	a. Then w	407.0	hearing above the une	عبدا هذا الدرك	و لبدائد	ms. Any commercia	8 000

Sherban Hour Statement: This form is entireded to take 0.2 traject of Complete. Then will very depending upon the meads of the helicitud case. Any comments of the processes are supplied to complete this form efford the sent to the Calef Information Officer, U.S. Patent and Tendement Office, Westington, O 20231. DO NOT SERIO FEES OR COMPLETED FORMS TO THIS ADDRESS. SISHD TO: Assistant Commissioner for Patents, Box Patent Application, DC 20231.

**DEST AVAILABLE COPY** 

BEST AVAILABLE COPY

U.S. Putent and Trademark Cliffor U.S. GEPARTMENT OF COMMERCE					
FEE TRANSMITTA	Application Number				
<b>for FY 2002</b>	Filtry Date				
Fig. Note that any adjust to annual resident.	First Named Inventor THOMAS AGAPIADES.				
Athlicent claims arraif only status. See 37 CFR 1.27	Exerciser Home				
	Group Art Unit				
TOTAL AMOUNT OF PAYMENT (5)	Allomey Docket No.				
METHOD OF PAYMENT (chapt of that apply)	FEE CALCULATION (controls)				
Open Americ	Laten Earth ( South South)				
Deposit	Pac				
. Name	100 120 225 05 Australy-hat She ha walls				
Account	127 80 227 26 Burdugo bab providenci Ming the cr				
The Commissioner is estimated to general all that apply	and that				
Charge freigh instructed before. U Could any prospensions	120 120 120 120 Non-English speedfeathen				
Charge any additional finite) during the pandency of this application  Chilege finite) indicated faster, consept the the title the	147 2,000 147 2,000 For thing a request for an party recommendation.  112 000' 112 000' Recombing and Section of Bills after to				
is the standing that deput entert	Champlest entires				
PEE CALCULATION	113 1,840 113 1,840 Requesting publication of BIR after				
1. BASIC FILMS FEE	116 110 215 SE Colondan for routy within Septembri				
Latte Polity Great Relay Polity Polity Con Res Con Reservation	118 409 216 280 Extension for reply will be unessed manufa.  117 480 217 480 Extension for reply will be the manufa.				
Code (5) Code (5) Foo Public 191 740 201 370 Utility time to [15] \$72.577	118 1,440 218 730 Edwiden for mply within burth moch				
100 200 100 Control State 200 200 200 200 200 200 200 200 200 20	120 1,000 220 000 Catendarder rents will be ditt march				
197 910 317 355 Plant May be	110 300 210 100 Nation of Appeal				
100 740 200 270 Release ting to	130 300 230 160 Pling a blaf in support of an appeal				
10 /00   214 00 Produced Stray ton	127 200 221 140 Propost for any housing				
SUBTOTAL (1) (3)	140 110 200 & Politica broaden - minutable				
2 EXTRA CLAIM FEES FOR UTILITY AND RESSUE	141 1,200 241 000 Publica to reside - unbetentiand				
Taken Care Care Care Care Care Care Care Care	142 1,350 312 610 UMPy lease has for exhaust				
	143 400 313 230 Coolen tenso too				
Mallah Departuri	122 130 122 130 Published Day Commissioner				
	150 60 150 60 Processing for under 57 CPR 1.17(g)				
Too Too Too Day Con. Brownington	198 100 126 100 Bebeileden of Bellementen Chefebers Sterl				
100 10 200 0 Challeng to propose of 20	500 40 501 40 Responding each partner configurate pay properly (Street Number of properties)				
140 66 200 C Independent dalen in descript of 3					
100 200 201 100 Mallylo department delle, if mel padd	227 CFR § 1.129(c)				
100 84 300 42 "Relieve Independent district	.140 740 300 379 For each additional invention to be				
110 15 210 9 "Patients states in excess of \$0	170 740 270 270 Request for Continued Streetmenton (FCE)				
	100 000 100 100 Request for expected consideration				
SUBTOTAL (2) (8) 386	Olive the (specify)				
"To Annabar productive public Proposition Par Parkette, one office	The Annal by Study Plany Plan Plant GUISTOTAL (S)				
Name of the state					
THOMAS AGAPLADES	530-218-402D				
- Transmitt					
X,LUYWY1/[	000 102-19-04				

Wildramer: information our time pierin many because public. Credit card information about not be included on this form. Privately could need be included on this form. Privately could need to be included on this form.

Sender How Statement: This form to collected to take 0.2 hours to complete. Then will very depending upon the north of the indicated ages. Any constants of the pint was required to complete the form object to the Chief Information Office, U.S. Printed and Translated Office, U.S. Printed Accompany of the U.S. Printed

BEST AVAILABLE COPY

#### DISC VALVE INTERMEDIATE RING SEAL

## BACKGROUND OF THE INVENTION

The invention is an intermediate ring seal placed in sliding contact at its upper ring surfaces with a rotatively mounted disc valve in an engine cylinder head. A sealing ring groove machined on the outer perimeter surface of the said ring holds a seal which is fixedly held by a pin in stationary contact with the inner surfaces of the engine cylinder.

In previous designs and proprietary illustrations, the stationary sealing contact has been in the cylinder head. In the present invention a ringed skirt has been placed within the inner diameter of the disc valve gear and extended downward over the outer surfaces of the engine cylinder. The stationary seal of the intermediate ring in the present invention is now at the engine cylinder inside surfaces.

The novelty of the present invention is in the method of sealing the combustion chamber of a rotary disc valve engine between the cylinder head and the engine cylinder. At the cylinder the intermediate ring seal provides a static seal with the engine cylinder by a seal operating within a seal groove machined into the outer surface of the intermediate ring seal. By this description, it can be seen that the intermediate ring seal comprises both dynamic and static sealing characteristics as a sealing interface between the rotating surfaces of the disc valve and stationary sealing surfaces of the engine cylinder.

Dynamic and static sealing between the rotating disc valve and stationary engine cylinder must occur within the limited axial length of

the combustion volume. To alleviate this restrictive spatial requirement a skirt extension has been added to the disc valve which extends the axial length of the sealing contact between the dynamic seal and stationary seal without changing the combustion volume which would change the engine compression ratio and alter its performance.

The novelty of the invention is the extension of the axial distance between the dynamic seal and stationary sealing surfaces such that they overlap the interface between the cylinder head and engine cylinder, facilitating engine component manufacture and installation of the cylinder head on the engine cylinder with improved sealing reliability.

## SUMMARY OF THE INVENTION

The invention is a new and improved method of sealing the combustion volume of a disc valve engine. The seal must provide dynamic sealing against the sliding surfaces of the disc valve and also provide static seal with the engine cylinder. These seals must be effective in the limiting axial length of the combustion volume measured as the distance between the engine piston crown and the cylinder head surface configured within the confining surface of the disc valve. To facilitate the sealing function the intermediate ring seal is designed to overlap the interface between the engine cylinder head and engine cylinder.

It is a primary objective of the invention to place a skirt extension on the disc valve that will overlap the interface between the engine cylinder head and the engine cylinder.

It is another objective of the invention to place the intermediate

ring seal between the engine cylinder and the disc valve extension.

It is yet another object of the invention to place a static seal between the said engine cylinder and said intermediate ring seal.

## BRIEF DESCRIPTION OF THE DRAWINGS

Drawings are presented showing the method of extending the lower portion of the disc valve to form a cylindered skirt. The drawings also show the method of installing an intermediate ring seal to provide a dynamic seal with the sliding surface of the disc valve and the static seal with the engine cylinder.

Figure 1 Is the bottom view of the disc valve.

Figure 2 Is a side view of the disc valve of Fig. 1 sectioned diagonally.

Figure 3 Is a side view of the intermediate ring seal.

Figure 4 Is a top view of the intermediate ring seal.

Figure 5 Is a view of the assembly of the interfacing elements of the disc valve skirt with the static seal of the intermediate ring seal with the engine cylinder and the dynamic sliding seal with the disc valve sliding surfaces, shown in partial cross-section.

## DETAILED DESCRIPTION OF THE INVENTION

In the detailed description of the invention, and its manner of operation, only three major components are required to define the novel features of the design.

- Rotating disc valve
- Intermediate ring seal
- Stationary engine cylinder

The novel feature of the invention is the facilitation of the intermediate ring seal to effectively seal the combustion chamber of an engine by forming a dynamic sliding seal with the rotating disc valve and a static seal with the stationary engine cylinder within the limiting axial distance of the combustion volume when the engine piston is at top-dead-center at the end of its compression stroke. The novelty of the effective static sealing is achieved by extending the under side of the disc valve to form a cylindrical skirt that extends over the engine cylinder allowing for an intervening space for the intermediate ring to seal against the said engine cylinder.

Turning now to FIG. 1 of the drawings. FIG. 1 is the bottom view of the disc valve 1 showing the intake port 2 and exhaust port 3, gear teeth 4, skirt 5, and sealing surface 6. The novel feature of the disc valve of FIG. 1 is skirt 5.

FIG. 2 is a side view of the disc valve 1 shown in cross-section taken across FIG. 1. In this view the disc valve axle 7 and spark plug threaded hole 8 are shown. Disc valve 1 is rotatively mounted in the

engine cylinder head bearings which hold disc valve axle 7. Rotation of disc valve 1 opens and closes intake port 2 and exhaust port 3 in a synergistic manner with corresponding two ports in the cylinder head. Those skilled-in-the-art will readily recognize that disc valve 1 may have a plurality of intake ports 2 and exhaust ports 3 at slow rates of rotation relative to engine crankshaft revolution without effecting the novelty of design. In this description only one intake port 2 and one exhaust port 3 are shown for clarity and simplification of the description.

Turning now to FIG. 3. FIG. 3 is a side view of the intermediate ring seal 9. A groove 10 (not shown in this view) is machined on the outer perimeter of the said intermediate ring seal 9 to hold a stationary seal 11. At the bottom edge of intermediate ring seal 9 is a recess 12 for accepting a staking pin 16 (not shown in this view) for holding the intermediate ring seal in place and preventing its rotation.

FIG. 4 is a top view of the intermediate ring seal 9.

Turning now to FIG. 5. FIG. 5 shows the assembly of the disc valve 1, intermediate ring seal 9, and the engine cylinder 13 in partial cross-section. The sliding seal surface between the intermediate ring seal 9 and the disc valve 1 is shown as dynamic interface 14. The stationary seal 11 in contact with engine cylinder 13 is shown as static interface 15.

#### **CLAIMS**

#### What is claimed is:

1. An intermediate ring seal in rotative contact with a disc valve forming a dynamic seal at the interface of said rotative contact, said intermediate ring seal having a groove machined on the outer perimeter surface, said groove holding a stationary seal, said stationary seal in sealing contact with an engine cylinder, said intermediate ring seal having a recess at its bottom edge, a pin fixedly mounted in said engine cylinder and fitting into said recess to prevent rotation of said intermediate ring seal.

#### **ABSTRACT**

Between the cylinder head and combustion chamber of an internal combustion engine, an intermediate sealing ring. The sealing ring is in sliding contact at its top circular surface with a disc valve rotatively mounted in said cylinder head and at its outer periphery in fixed sealing contact with the inner surface of the engine cylinder of said engine combustion chamber. The purpose of the intermediate seal is to confine the working fluids, being acted upon by the reciprocating motion of the engine piston, across the stationary interface of the engine cylinder and rotative surface of the disc valve.

## Numbered Elements of the Drawings

**26** 

27

28

- 1. disc valve
- 2. intake port
- 3. exhaust port
- 4. gear teeth
- 5. skirt
- 6. sliding seal surface
- 7. disc valve axle
- 8. threaded hole
- 9. intermediate ring seal
- 10 seal groove
- 11. stationary seal
- 12. groove
- 13. engine cylinder
- 14. dynamic interface
- 15. static interface
- 16. pin

Under the Peperson	h Reduction Act o	f 9000, no parenna ma mysikad	U.C. Palant and T In suspend to a collection of let		rough \$05 stends. Cally decision 8. DEPERTMENT OF CONDERSO station as weld Cally control mande
DECLARATION FOR UTILITY OR DESIGN			Attorney Docket N	unter	
			First Harnod Inven	tor	
PA'	TENT API	PLICATION	COME	LETEIFKNOY	771
	(37 CFR	1.63)	Application Number	,	/
Declaration Declaration		Filing Date		-	
Submiti		Submitted efter hitte Filing (nurcharge	Art Unit		
Filing	<del>-</del> .	(37 CFR 1.16 (c)) required)	Example Name		
On the fellow	4	eratly declare that:			
•			-		
ry Populated, Media	A vocacess' ent	l clitzonethip are es ataled be	elow mend to my name.		
believe i am the of	that and that	mentor of the publish metic	radich is elsbassi sant ibass		ought on the Invention entitle
e speptification of w S ty effectived he		(Fills of the	Environation)		
j yeze wiesa çan çiz	<b>HULIVIY</b>	1	an United States /	ÇÇÇESEN MANDE	er or PCT international
•	i				
pplication Number		end was amen	ded on (MANEXENTYY)	•	Femileshiek.
Combine whole these the			<u> </u>		
,	_	- · · · ·	_		the debra, as amended by
actinoxidate the district declare information which is material to patentiality so delived in \$7 CFR 1.55, including for continuation in part					
CONTROL BELL CORN LA BIO CARLESTON - PORTA - PORTA - CONTROL - CONTROL					
eoderte algida certificados of America. But	coleção, or \$85 ad below med	a) of any PCT internations	e application which designs	agu application(s) and at least one	for palend, inventors or plant country other than the United
fereby claim toreign priority benefits under \$5 LLS.C., 119(g)-(d) or (f), or \$85(b) of any foreign application(e) for paint, inventor's or plant strategy at a \$85(c), or \$85(c) of any PCT International application which designated at least one country other than the United States of America, listed below and lates also identified below, by checking the box, any foreign application for palent, inventor's or plant leader's rights cardicate(s), or any PCT international application having a ling date before that of the application on which priority to leave the cardicate(s), or any PCT international application having a ling date before that of the application on which priority to					
Pater Perchas Ag	effeation	Country	Poroign Filing Date	Palority	Cortfied Copy Attached?
			(BIRRISD/YYYY)	Not Claimed	YES NO
	1			H	
				H	

whom are finited on a supplemental priority data cheet PYO/68(028) etteched hembe #Page 1 of 21

Exists Now Statement: This fairs in estimated to take 24 submitts to complete. Then will very depending upon the needs of the included ones. Any comments on account of fairs' you are required to complete this from about the sent to the Calef intermation Officer, U.A. Parient and Tradement Office, Whistington, DC 202212. DO NOT SELID FEEDS OR COMPLETED FORMS TO THIS ADDRESS, GEND TO TO THE ADDRESS.

AVAILABLE COPY
BEST AVAILABLE COPY

PTC/SB/01 (10-01)
Approved for use through 10/31/2002, OMB 0651-0032
U.S. Pétent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## **DECLARATION** — Utility or Design Patent Application

Direct all correspondence to: Customer Number or Bar Code Label OR Correspondence address below					
Name TOW! AGAPIATES					
Address 744 BRIDGE STR	266 T				
dly YUBA CITY		State CA	ZUP 95991		
Country USA Tel	elephone /-5	530-218-4020	Fax		
I hereby declare that all statements made herein of my are believed to be true; and further that these statemen made are punishable by fine or imprisonment, or both, a validity of the application or any patent issued thereon.			ade on information and belief		
NAME OF SOLE OR FIRST INVENTOR:	A petition h	nas been filed for this unsig	ned inventor		
Given Name THOMAS AGAPIAD (first and middle [# any])	,ES	Family Namo or Surnamo			
Inventor's Signature	<u> F</u>		Date 02-19-04		
Residence: City YVOR 4:TY	Similar C.A.	comey USA	Citizenship		
Molling Address 744 BRIDGE STRE	ie t				
City YUBA CITY	CA:	zp 96911	Country USA		
NAME OF SECOND INVENTOR:	A petition has	s been filed for this unsigne			
Given Name (first and middle [if any])	1 Correla Maria				
Inventor's Signature			Defic		
Residence: City	State	Country	Citizenship		
Malling Address					
City -	State	ZIP	Country		
Additional inventors are being named on thesupplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.					

[Page 2 of 2]

Applicant or Patentee:		OMB No. 0851-0011 (12/31/6 Attorney's Docket No.:
Filed or Issued:		Docker No.:
For:		
VERIFIEI STATU	D STATEMENT (DECLARATION) CI S (37 CFR 1.9 (f) and 1.27 (b)) — IND	LAIMING SMALL ENTITY DEPENDENT INVENTOR
poses of paying reduced fees up	ereby declare that I qualify as an independer section 41 (a) and (b) of Title 35, Intion entitled	ndent inventor as defined in 37 CFR 1.9 (c) for pu United States Code, to the Patent and Tradema
the specification filed	herewith	
application serial no.		. filed
I have not assigned, granted, con	iveyed or licensed and am under no obligi	ation under contract or law to assign, grant, conv.
1.9 (c) if that person had made the		dissified as an independent inventor under 37 CF vould not qualify as a small business concern und
	eation to which I have assigned, granted grant, convey, or license any rights in	l, conveyed, or licensed or am under an obligation the invention is listed below:
[×] no such person, concer [ ] persons, concerns or o		
tion having rights to	erified statements are required from each the invention averting to their status a	
FULL NAME THOMAS	STREET YUBA CITY CI	A. 959//
(K) INDIVIDUAL	* · · · · · · · · · · · · · · · · · · ·	
FULL NAME		
( ) INDIVIDUAL	( ) SMALL BUSINESS CONC	CERN [ ] NONPEOFIT OEGANIZATIO
	I I SMALL BUSINESS CONC	CERN [ ] NOMPROFIT ORGANIZATIO
nent to small entity status prior (		of any change in status resulting in loss of entitle rearliest of the issue fee or any maintenance fee riate. (37 CFR 1.28 (b))
nd belief are believed to be true; a nd the like so made are punishab	ind further that these statements were made ble by fine or imprisonment, or both, un statements may jeopardize the validity o	true and that all statements made on information de with the knowledge that willful false statements ader section 1001 of Title 18 of the United States of the application, any patent issuing thereon, or
MOMAS AGAPIADES		
AME OF INVENTOR	NAME OF INVENTOR	NAME OF INVENTOR
- Jelugan /	•	
mature of Inventor	Signature of Inventor	Signature of Inventor
02-19-04.		

Date






Fig.5




Fig.3





Fig.4






Fig.1

